



vetroline
Aluminum & SS Railing Systems



**NOT JUST
DIFFERENT.
IT'S UNIQUE !**




Aluminum Railing - Premium



Aluminum Railing - Conventional



Stainless Steel Railing



vetroline

Aluminum & SS Railing Systems

“Vetroline” Aluminum Railing System for Glass Support, A New Offering From Olive... Being a Frontrunner in the architectural hardware and accessories segment; we at Olive Believe in expanding Our Product Portfolio to serve our customers with Superior products.

Vetroline Aluminum Railing System for glass Support is one such thoughtful extension of olive’s everlasting endeavor of developing finest products. Vetroline range of products provide a reliable and aesthetical way of supporting glass for wide range of applications, and plenty of options are offered considering the need and budget of the products.

Aluminum, a non-ferrous metal, is a wonderful raw material for specification architectural hardware. it withstands all types of weather and never splits, wraps or rots due to rain, ice, sun, and other elements. the railing are designed to perfection to ensure easy and quick assembling with professional results. Moreover, the technical supremacy is achieved with no compromise on aesthetics. the railing system does not have any vertical supports, paving way for a clear and rich view. the railing are available in wide range of finish, designs, patterns and styles. with durability, the railings are tested for complete assurance of safety. While vetroline is offered in wide range to meet diverse needs, we are also open to customize the deliver a distinct identity to your decor.

ALUMINUM GLASS RAILING (PREMIUM RANGE)



www.oliveworld.co.in



Technical Details -

- Effortless and stylish square look design.
- Bottom track to be placed over finished surface.
- Brackets to be mounted in pieces & cover to be fixed in a continuous length.
- This system can also be used as a slotted brackets system.
- No pre-planning is required as it is a floor mounting system.
- Available Glass bracket sizes : 75mm, 100mm, 125mm, 150mm.
- Suitable for glass thickness from 12mm to 17.5mm Laminated and Sentry.
- Available in two finishes, Silver and Champagne.


Glass Bracket



Bracket Body Cover



Bottom Track



Bracket End Cap SS



Bracket End Cap PVC



Adjustable Profile





Adjustable Profile
For extra strong grip to the glass



Technical Details -

- Marvelous look railing designed.
- Bottom track to be placed over finished surface.
- Brackets to be mounted in pieces & cover to be fixed in a continuous length.
- This system can also be used as a slotted brackets system.
- No pre-planning is required as it is a floor mounting system.
- Available Glass bracket sizes : 75mm, 100mm, 125mm, 150mm.
- Suitable for glass thickness from 12mm to 15mm Laminated and Sentry.
- Available in two finishes, Silver and Champagne.



Glass Bracket



Bracket Body Cover Sweep 3



Bracket Body Cover Sweep 4



Bottom Track



Adjustable Profile



Aluminum Profile
For extra strong grip to the glass

Bracket End Cap SS 3



Bracket End Cap PVC 3



Bracket End Cap SS 4



Bracket End Cap PVC 4






Phantom System S-1 Phantom System C-1



Technical Details -

- Continues glass profile and top mounting system. Only for continues glass profile.
- Suitable for glass thickness from 12mm to 15mm Laminated and Sentry.
- Available in two finishes, Silver and Champagne.



Glass Bracket :



Bracket End Cap :



Adjustable Profile



Adjustable Profile
For extra strong grip to the glass



Fairey System S-1




Fairey System C-1




Technical Details -

- Ample and adequate simplified design.
- Continuous glass profile system. It does not require bottom track and cover.
- This system can also be used as a slotted brackets system.
- No pre-planning is required as it is a floor mounting system.
- Available Glass bracket sizes : 75mm, 100mm, 125mm, 150mm.
- Suitable for glass thickness from 12mm to 15mm Laminated and Sentry.
- Available in three finishes, Silver, Champagne & Wooden (Powder Coating)



Glass Bracket :



Bracket End Cap SS :



Bracket End Cap PVC :



Adjustable profile :



Magic Pack
For extra strong grip to the glass



Armia System S-1





Armia System C-2



Technical Details -

- Marvellous curvature with max grip capacity.
- This system does not require to fix bottom track.
- Brackets to be mounted in pieces.
- Cover to be fixed in continuous length.
- This system can also be used as slotted brackets system.
- No pre-planning is required as it is a floor mounting system.
- Available Glass bracket sizes : 75mm, 100mm, 125mm, 150mm.
- Suitable for glass thickness from 12mm to 17.5mm Laminated and Sentry.
- Available in two finishes, Silver and Champagne.



Glass Bracket



Bracket Body Cover 1



Bracket Body Cover 2



Bracket End Cap SS 1



Bracket End Cap SS 2




Bracket End Cap PVC 1




Bracket End Cap PVC 1





Technical Details -

- Creative and stunning profile designed for smooth finishing.
- This system does not require to fix bottom track.
- Brackets to be mounted in pieces.
- Cover to be fixed in continuous length.
- This system can also be used as slotted brackets system.
- No pre-planning is required as it is a floor mounting system.
- Available Glass bracket sizes : 75mm, 100mm, 125mm, 150mm.
- Suitable for glass thickness from 12mm to 15mm Laminated and Sentry.
- Available in two finishes, Silver and Champagne.



Glass Bracket



Bracket Body Cover



Adjustable Profile



Adjustable Profile
For extra strong grip to the glass


Bracket End Cap SS



Bracket End Cap PVC



Aluminum Glass Railing Handrails :



Aluminum Glass Railing Handrails Wall End Caps :




Aluminum Glass Railing Handrails Elbows :




Aluminum Glass Railing Handrails S.S. Joints :




Aluminum Glass Railing Handrail End Caps :



Aluminum Glass Railing Handrail Grips :



Aluminum Glass Railing Other Accessories :



When it comes to choosing railing systems, aluminum railing systems are a natural first choice across the globe. The reason is simple; aluminum is an all weather metal, suitable for all types of climate conditions.

We are an undisputable leader of Aluminum Railing Systems in India and we also export Aluminum railings to several Asian, African and Middle East countries. Our commitment towards complete customer satisfaction through high quality products and best services drives the company growth in the international markets. To further fuel the progress, we continuously focus on developing innovative approaches; and that helps. Going beyond customer satisfaction and to achieve customer delight, we also offer customized designing and manufacturing according to clients requirement, design, choice and budget. We have also developed latest packaging systems to ensure safe and timely deliveries. Every order that we receive from our customers is handled by a specialized Railing team, which is technically sound and trained for hassle-free installation and handing of all types of Railing systems. Use aluminum railings conveniently for its elegant clear view, durability and strength. It can be used in apartment, balconies, Villas, Bungalows, pool side, and many more.


Vetroline range of railing are passed through many tests like horizontal static load test, uniform load test, shot bag as per international standard and ISO 9001 : 2015 by BSI for quality management systems. We are eager to serve with our best and look forward to seeing you amongst the hundreds of our satisfied customer worldwide.

ALUMINUM GLASS RAILING (CONVENTIONAL RANGE)




www.oliveworld.co.in

VARs - 01



Specifications :

- Dimension** : 125 mm x 70 mm
- Fitting** : Top Mounted or Concealed
- Glass Thickness** : 12 mm to 21.52 mm
- Glass Height** : 1050 mm upto 1200 mm
- Finish** : Mill / Silver / Champagne



Aluminum U-Channel



U-Channel Top



Glass Packing Aluminum



EPDM Gasket



Top EPDM Gasket




VARs - 02



Specifications :

- Dimension** : 121 mm x 45 mm
- Fitting** : Top Mounted or Concealed
- Glass Thickness** : 12 mm to 17.52 mm
- Glass Height** : 900 mm upto 1150 mm
- Finish** : Mill / Silver / Champagne



Aluminum U-Channel



Glass Packing ABS



Top EPDM Gasket




VARs - 03



Specifications :

- Dimension** : 80 mm x 37 mm
- Fitting** : Top Mounted or Concealed
- Glass Thickness** : 12 mm to 13.52 mm
- Glass Height** : 750 mm upto 1050 mm
- Finish** : Mill / Silver / Champagne



Aluminum U-Channel



Glass Packing ABS



EPDM Gasket



Top EPDM Gasket




VARs - 04




Specifications :

- Dimension** : 115 mm x 60 mm (Bracket Wise)
- Bracket Lengths** : 140 mm and 70 mm
- Fitting** : Top Mounted or Side Mounted or Concealed
- Glass Thickness** : 12 mm to 15 mm
- Glass Height** : 900 mm upto 1100 mm
- Finish** : Mill / Silver / Champagne



Aluminum Bracket
70mm & 140mm



Side Cover L & R



EPDM Gasket



Glass Packing ABS




Top EPDM Gasket





Specifications :

- Dimension** : 98 mm x 84 mm (Bracket Wise)
- Bracket Lengths** : 140 mm and 70 mm
- Fitting** : Top Mounted
- Glass Thickness** : 12 mm
- Glass Height** : 750 mm upto 1050 mm
- Finish** : Mill / Silver / Champagne



Aluminum T-Bracket
70mm & 140mm



EPDM Gasket



Glass Aluminum Packing



Handrails

Inclined Handrail
Product dimension : 82 x 38mm.



Round Handrail
Product dimension : Round 50mm.



Square Handrail
Product dimension : 50 x 50mm.



Slim Handrail
Product dimension : 25 x 25mm.



Wall Concealed



End Caps



Anodize Colors



Silver Champagne Bronze Black



THE NEW STANDARD IN DESIGNER RAILING

Vetroline is an innovative in the field of S.S. Railing Systems. We provide complete solutions that are instantly recognizable for their quality, unique design and unparalleled performance.

A Well designed railing system can enhance and complete an architectural plan like nothing else. Imagine having unlimited creative freedom over the choice of components and materials in your railing system. Select and combine different elements so that the final result blends seamlessly with the surrounding architecture. Each component is superbly engineered and finished designed to save time and expense during installation.

Glass Railing Systems

Whether your project is a residence or a sports stadium - or something between - our system let you create stunning glass railings that can be installed with ease. A vast range of beautifully engineered components is available for indoor & outdoor uses and with flexibility designed into each cap rail, railing base and other glass railing products, we can provide an elegant solution to just about any architectural challenge.

Baluster Railing Systems

Enhance a stairway, balcony or atrium by installing a baluster railing system from Vetroline. We have found, square or rectangular forms as well in fills that us cables, bars web or glass. Create a look that really express your vision.

Handrails Systems

A great looking handrail can be detail that transforms a space. Of course, the choice of materials is all important. At Vetroline, you will find a wide range of handrails in stainless steel and various types of wood. And no matter what effect you desire, or what types of applications you are working with, Vetroline has a bracket to suit.


STAINLESS STEEL RAILING








www.oliveworld.co.in



Vetroline - 5 For Stair Case



Vetroline - 4 Top Fitting



Technical Details -





- Vetroline - 1 : Dia. 38 / Top Fitting, Balu. 180 (H) / 120 mm Slot Depth
- Vetroline - 1 Stair Case : Dia. 38 / Top Fitting, Balu. 210 (H) / 120 mm Slot Depth
- Vetroline - 4 Top : Rec. Strip - 50 (W) X 8 Thk. / Top Fitting, Balu. 230 (H) / Hole Distance at 75mm
- Vetroline - 5 Balcony : Rec. 34 (W) X 40 (L) / Top Fitting, Balu. 150 (H) / 100 mm Slot Depth
- Vetroline - 5 Stair Case : Rec. 34 (W) X 40 (L) / Top Fitting, Balu. 230 (H) / 115 mm Slot Depth



Vetroline - 28 With Plate



Vetroline - 28




Technical Details -


- Vetroline 28 : Side - Dia. 32 X 35 (L), Base Plate Size:- 32 (W) X 150mm (H) X 6mm Thk. Stud Distance at 118mm
- Vetroline 28 : Side - Dia. 32 X 35 (L) As Per Your Requirement
- Vetroline 28 : Side - Dia. 50 X 35 (L) As Per Your Requirement




Vetroline - 11 T2



Vetroline - 13 T2





Vetroline-11 T2




Vetroline-13 T2

Technical Details -

- Vetroline 11 T2 : Dia. 38 X 1.5 Thk. Top Fitting / Balustrade 865 (H)
- Vetroline 13 T2 : Sq. 40 (W) X 40 (L) X 1.5 Thk. Top Fitting / Balustrade 865 (H)



Vetroline-16 T2



Vetroline-19 T2

Technical Details -


- Vetroline 16 T2 : Rec. Strip 50 (W) X 8 Thk, Top Fitting / Balustrade 865 (H)
- Vetroline 19 T2 : Rec. Strip 50 (W) X 8 Thk, Top Fitting / Balustrade 865 (H)




Vetroline - 11 TB



Vetroline - 13 TB



Vetroline-11 TB



Vetroline-13 TB

Technical Details -


- Vetroline 11 TB : Dia. 38 X 1.5 Thk, Top Fitting / Balustrade 865 ht.
- Vetroline 13 TB : Sq. 40 (W) X 40 (L) X 1.5 Thk, Top Fitting / Balustrade 865 ht.




Vetroline - 19 TB



Vetroline - 11 TD



Vetroline-19 TB




Vetroline-11 TD

Technical Details -

- Vetroline 19 TB : Rec. Strip 50 (W) X 8 Thk, Top Fitting / Balustrade 865 (H)
- Vetroline 11 TD : Dia. 38 X 1.5 Thk, Top Fitting / Balustrade 865 (H)



Vetroline - 11 S4



Vetroline - 11 T3





Vetroline-11 S4



Vetroline-11 T3

Technical Details -

- Vetroline 11 S4 : Dia. 38 X 1.5 Thk, Side Fitting / Balustrade 1075 (H)
- Vetroline 11 T3 : Dia. 38 X 1.5 Thk, Top Fitting / Balustrade 865 (H)



Technical Details -

- Vetroline 13 T3 : Sq. 40 (W) X 40 (L) X 1.5 Thk, Top Fitting / Balustrade 865 (H)
- Vetroline 13 B T2 : Sq. 30 (W) X 30 (L) X 1.5 Thk, Top Fitting / Balustrade 865 (H)







Vetroline - 13B TD 30x30



Vetroline - 26 T2



Vetroline-13B TD
30x30



Vetroline-26 T2

Technical Details -

- Vetroline 13 B TD : Sq. 30 (W) X 30 (L) X 1.5 Thk, Top Fitting / Balustrade 865 (H)
- Vetroline 26 T2 : Dia. 38 X 1.5 Thk, Round Wooden in Centre Top Fitting / Balustrade 865 (H)




Wooden Baluster




Vetroline - 27 T2



Vetroline - 26 TB



Vetroline-27 T2



Vetroline-26 TB

Technical Details -

- Vetroline 27 T2 : Dia. 38 X 1.5 Thk, Round Wooden in Centre Top Fitting / Balustrade 865 (H)
- Vetroline 26 TB : Dia. 38 X 1.5 Thk, Top Fitting / Balustrade 865 (H)






Vetroline - 27 TB




Vetroline - 26 T3



Vetroline-27 TB



Vetroline-26 T3



Technical Details -

- Vetroline 27 TB : Dia. 38 X 1.5 Thk, Top Fitting / Balustrade 865 (H)
- Vetroline 26 T3 : Dia. 38 X 1.5 Thk, Round Wooden in Centre Top Fitting / Balustrade 865 (H)



Premium Baluster




Vetroline - 46 GR




Vetroline - 48 GR



Vetroline-46 GR



Vetroline-48 GR



Technical Details -

- **Vetroline 46 TGR** : Rec. 60 (W) X 10 Thk, Top Fitting, Balustrade 1000 (H) # 240mm From Base & 435mm Distance Between 2 Glass Brackets.
- **Vetroline 48 TGR** : Rec. 100 (W) X 10 Thk, Top Fitting, Balustrade 950 (H) # 240mm From Base & 435 mm Distance Between 2 Glass Brackets.



02-Handle Fitting Regular



09-Handle Fitting



Glass Fitting
Eco-02



Glass Fitting
02









Glass Fitting
03




Glass Fitting
04



Glass Fitting
Regular-04



Glass Fitting
08



Glass Fitting
09



Wall Fitting-4.1



Handrail Fitting-9



Wall Fitting-2







Wall Fitting-3



Wall Fitting-4.1



Wall Fitting-9





Dia. 16mm, 38mm & 50mm
Pipe 1.5mm Thik Pipe



Square 40mm & 50mm
Pipe 1.5mm Thik Pipe



Rectangular 50 x 25 & 75 x 25
Pipe 1.5mm Thik Pipe



Wall Concild For 38mm Pipe



Wall Concild For 50mm Pipe



Dia. 42.5mm Single
(24 x 24mm) Slotted Pipe



Dia. 51mm Single
(15 X 15mm) Slotted Pipe



Dia. 63mm Single
(25 X 25mm) Slotted Pipe



Rectangular 60 x 40
Single (25 x 25) Slotted Pipe



Dia. 51mm Double
(15 X 15mm) Slotted Pipe



Pipe End Cap For 16mm Pipe



Modular End Cap For
Dia. 38mm & 50mm Pipe



Rib Sleeve For
Dia. 38mm & 50mm Pipe

Welded Elbow



Long Elbow Dia. 38mm & 50mm
Thik 1.5mm

Modular Elbow



Short Elbow Dia. 38mm & 50mm
Thik 1.5mm



Modular Elbow
Dia. 38mm & 50mm



Modular Elbow
For 40mm Square Pipe



CRYSTAL INTERIOR PRODUCTS PVT. LTD.

(CIN. U93090GJ2006PTC048545)

Plot No. 41, Ichhapore GIDC, Opp. ONGC, Sachin-Hazira Road,
Bhatpore Village, Surat - 394 510 (Gujarat) INDIA.

Tel:+91 9879642266, 9879652266

Email : railing@oliveworld.co.in Web : www.oliveworld.co.in